

CLEANOL CAR –PT COLOR

Hirschstrasse 85-93
 64653 Lorsch
 GERMANY
 Tel. + 49(0) 6251 53344
 Fax + 49(0) 6251 51404
 www.cleanol.de

SAFETY DATA SHEET**Section 1. Identification of the material and the supplier**

Product Name: Plastic Paint
 Product Code: CK005B & G
 Product Use: Dye for recolouring plastic bumper bars.

New Zealand Supplier: Car Clean Products NZ Limited
 Address: 739 Great South Road
 Otahuhu
 Auckland
 Telephone: 09 276 8232
 Fax Number: 09 276 7952

Emergency Telephone: 0800 POISON (0800 764 766)

Date of MSDS Preparation: October 2008 – version 1

Section 2. Hazards Identification

Warning. Harmful if swallowed, inhaled or absorbed through the skin.
 A hazardous substance as determined by the HSNO (Classification Regulations) 2001
 Class 6.1D Harmful if swallowed,
 Class 6.8A May damage fertility. May damage the unborn child.
 Class 9.1C Toxic to aquatic organisms

Section 3. Composition / Information on Ingredients

Ingredients	Proportion (% mass)	CAS Number
Cristobalite	1-5	14464-46-1
Isopropanol	1-5	67-63-0
Ethylene Glycol	1-5	107-21-1
Diuron	0.1-<0.25	330-54-1

Section 4. First Aid Measures

Routes of Exposure:

Eye	Likely to cause moderate irritation. Flush eye with water for at least 15 minutes. Seek medical attention if problems persist
Skin	Remove contaminated clothing and wash thoroughly with soap and water. Seek medical attention in the event of irritation.
Ingestion	DO NOT induce vomiting. Give water to rinse out mouth then provide liquid slowly as much as casualty can comfortably drink. Seek medical advice.
Inhalation	Remove patient to fresh air if distressed. Other methods are usually unnecessary.

Section 5. Fire Fighting Measures

Suitable Extinguishing media	There is no restriction on the type of extinguisher which may be used. Use extinguishing media suitable for the surrounding area.
Fire and Explosion hazards	This material is not readily combustible under normal conditions. Not considered to be a significant fire risk

Fire Fighting Instructions

Section 6. Accidental Release Measures

Land Spill or Leaks	<p>Ventilate area of leak or spill. Remove all sources of ignition. Absorb small quantities with dry sand or soil. Sweep up and place in a chemical waste container for appropriate disposal. DO NOT flush liquid down sewer.</p> <p>Large spills or leaks must be contained from sewers and waterways by dyking or bunding. Use an earthed pump or shovel into containers for re-use. If not practical label container as "Toxic Hazardous Material" and dispose in approved contained landfill.</p>
Water Spill or Leak	

Section 7. Handling and Storage

Handling Advice:	Read the label and use as directed. Use in a well ventilated area. Wash hands before eating and do not smoke in an area it is being used. A sense of smell may not warn of the presence of harmful levels of vapour.
Storing Procedures:	Keep containers closed when not in use. Do not store alongside food or feedstuffs or any source of heat or ignition.

Section 8 Exposure Controls / Personal Protection

Engineering Controls:	Only use in a well ventilated place. General exhaust is adequate under normal conditions.
Personal Protective Equipment:	Safety glasses or chemical goggles. Protective gloves eg: PVC. Overalls. If risk of overexposure use SAA approved respirator.

Section 9 Physical and Chemical Properties

Physical State:	Liquid
Colour:	Black or Grey
Odour:	Characteristic
Solubility:	Miscible with water.
Specific gravity	1.2-1.4
Initial Boiling Point:	>107C
Flash point	Not available

Section 10. Stability and Reactivity

Chemical Stability	Product is considered stable. Hazardous polymerization will not occur.
Conditions to Avoid	Moisture, heat, flames
Incompatibility	Strong oxidizers.

Section 11 Toxicological Information

Acute Oral Toxicity	This material has NOT been classified by EC directives or other classification systems as "Harmful by ingestion".
Acute Dermal Toxicity	Not thought to produce adverse health effects or skin irritation. Entry to the blood stream through cuts or

Eye Irritant	abrasions may produce systemic injury with harmful effects. Not considered an eye irritant however direct contact with eye may cause transient discomfort.
Inhalation	Not thought to produce adverse health effects or irritation of the respiratory tract.
Long term Effects	Principal routes of exposure are by accidental skin and eye contact and by inhalation especially at higher temperatures.

Section 12. Ecotoxicological Information

Environmental Precautions

Ecological Toxicity *Expected to be toxic to aquatic organisms*

Environmental Fate ;

Soil *Likely to rapidly degrade in soil. Not bioaccumulative*
Water

Environmental Exposure Limits EEL_{water} Not set

Section 13. Disposal Considerations

Must NOT be disposed of down sewers or stormwater drains.

If product cannot be reused it must be transferred to drums, labeled as "Toxic waste" and disposed of in a sealed landfill or incinerated under hazardous emissions controls.

Section 14 Transport Information

Road, Rail, Marine and Air Transport

Not classified as a Dangerous Good according to Land Transport Rule: Dangerous Goods 2005; NZS 5433: 2007, IMDG or IATA.

Not a marine pollutant

Section 15 Regulatory Information

HSNO Group Standard: Surface coating & colourants (Subsidiary Hazard)
HSNO Approval Code: HSR002670

Section 16 Other Information
--

Sold in 75ml Tubes in Black or Grey. Product Code CK005B and CK005G

Date of SDS Preparation : December 2008

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand proprietor, Car Clean Products NZ Limited
Phone: 09 276 8232, if further information is required.
