



Supplying Panelbeaters Since 1947

RA JOHNSTONE
RA JOHNSTONE & CO LTD

www.raj.co.nz

E - mail: sales@raj.co.nz

Phone: 09-25000 95

Address: 33 Ha Crescent, Wiri, Auckland

PLEASE NOTE:
Photos are not
to scale.

CHART

A

1. XMAS TREE FASTENERS 2. CANOE FASTENERS



XMAS TREE FASTENERS



A1

Head Size - 15mm
Length - 15mm
Hole size 4.9 - 5.1mm



AA1

Head Size - 14mm
Length - 14.5mm
Hole size 5 - 6mm



A2

Head Size - 17mm
Length - 16.5mm
Hole size 6.8 - 7.2mm
Selected Colours



AA2

Head Size - 20mm
Length - 14.5mm
Hole size 5 - 6mm



A3

Head Size - 18mm
Length - 19.6mm
Hole size 7.8 - 8.1mm



A3GR

Head Size - 18mm
Length - 21mm
Hole size 6mm
Colour - Grey



A4

Head Size - 18mm
Length - 25mm
Hole size 8mm
Selected Colours



A5W

Head Size - 15mm
Length - 16mm
Hole size 6mm
Colour - White



A6

Head Size
12mm
Length
35mm
Hole size
6 - 6.8mm
Selected
Colours



A7

Head Size - 21mm
Length - 22mm
Hole size 10mm



A8

Head Size - 25mm
Length - 28mm
Hole size 6mm



A9

Head Size - 25mm
Length - 20mm
Hole size 8mm



A10GR

Head Size - 26mm
Length - 25mm
Hole size 8mm
Colour - Grey



A11

Head Size - 17mm
Length - 28mm
Hole size 8mm



0194

Head Size
35mm
Length
36mm
Hole size
6 - 6.8mm



CANOE FASTENERS



0084

Head Dia - 11mm
Stem Length - 14mm
Fits Hole 6mm



P247-074

Head Dia - 14mm
Stem Length - 10mm
Fits Hole 5mm
Ford / Mazda



14737

Head Dia - 13mm
Stem Length - 15mm
Fits Hole 5mm
Toyota / Nissan



M954

Head Dia - 9mm
Stem Length - 7mm
Fits Hole 5.5mm
Mazda



18114

Head Dia - 10mm
Stem Length - 10mm
Fits Hole 6mm
Honda



17205

Head Dia - 14mm
Stem Length - 15mm
Fits Hole 6mm
Honda



0013

Head Dia - 11mm
Stem Length - 14mm
Fits Hole 6mm



P247-073

Head Dia - 18mm
Stem Length - 15mm
Fits Hole 7mm
Honda



P247-069

Head Dia - 30mm
Stem Length - 20mm
Fits Hole 7mm
Toyota



B900

Head Dia - 16mm
Stem Length - 27mm
Fits Hole 7mm
Selected Colours



T599

Head Dia - 13x7mm
Stem Length - 14.5mm
Fits Hole 7.4mm
Toyota



B243

Head Dia - 14mm
Stem Length - 16mm
Fits Hole 8mm
Selected Colours



T595

Head Dia - 30mm
Stem Length - 15mm
Fits Hole 11mm
Toyota



is one of New Zealand's largest suppliers to the panelbeating and spray painting industry of consumable products, tools and equipment.

WE SUPPLY:

- Abrasives
- Primers & Clears
- Spray Painting Consumables
- Panelbeating Consumables
- Tools & Equipment
- Polishing & Cutting Compounds

- Automotive Trim Fasteners
- Automotive Rubbers & Trims
- Body Hardware

Please Note:

The sizes given for the fasteners are approximations only for your assistance. We do not do cash refunds so please choose carefully.

NO PART OF THIS DOCUMENT MAY BE REPRODUCED, TRANSMITTED, TRANSCRIBED, STORED IN ANY LANGUAGE, IN ANY FORM BY ANY MEANS, WITHOUT THE PERMISSION OF RA JOHNSTONE & CO LTD. COPYRIGHT © 2013. WE RESERVE THE RIGHT TO WITHDRAW ANY PRODUCT FOR SALE.



Supplying Panelbeaters Since 1947

RA JOHNSTONE
RA JOHNSTONE & CO LTDwww.raj.co.nzE - mail: sales@raj.co.nz

Phone: 09-25000 95

Address: 33 Ha Crescent, Wiri, Auckland

PLEASE NOTE:
Photos are not
to scale.

CHART

B**1. PUSH-IN FASTENERS****PACER.**
For Professional Results**PUSH-IN FASTENERS****19503**Head Dia - 10mm
Stem Length - 13mm
Fits Hole 5mm
Mitsubishi**P247-491**Head Dia - 15mm
Stem Length - 11mm
Fits Hole 6mm
Nissan / Honda**SC54**Head Dia - 15mm
Stem Length - 17mm
Fits Hole 6mm
Available in Grey**T792**Head Dia - 18mm
Stem Length - 8mm
Fits Hole 6mm
Toyota / Lexus**14698**Head Dia - 18mm
Stem Length - 11mm
Fits Hole 6mm
Honda**F114**Head Dia - 17.5mm
Stem Length - 17.5mm
Fits Hole 6.4mm
Mazda / Ford**14697**Head Dia - 14mm
Stem Length - 13mm
Fits Hole 7mm
Honda / Mazda**17191**Head Dia - 17mm
Stem Length - 10mm
Fits Hole 7mm
Mitsubishi**SC15**Head Dia - 14x22mm
Stem Length - 9mm
Fits Hole 7mm**P247-490**Head Dia - 20mm
Stem Length - 10mm
Fits Hole 8mm
Honda / Nissan / Mazda**10378**Head Dia - 15mm
Stem Length - 13mm
Fits Hole 8mm
G.M.**17632**Head Dia - 18mm
Stem Length - 12mm
Fits Hole 8mm
Mazda**P247-494**Head Dia - 20mm
Stem Length - 20mm
Fits Hole 8mm
Nissan**P247-500**Head Dia - 20mm
Stem Length - 23mm
Fits Hole 8mm**P247-667**Head Dia - 20mm
Stem Length - 10mm
Fits Square Hole 9mm
Toyota HI LUX**17206**Head Dia - 15mm
Stem Length - 12mm
Fits Hole 9mm
Toyota**18939**Head Dia - 18mm
Stem Length - 23mm
Fits Hole 9mm
Toyota / Lexus**17988**Head Dia - 19mm
Stem Length - 26mm
Fits Hole 9mm
Toyota / Lexus**17267**Head Dia - 20mm
Stem Length - 15mm
Fits Hole 10mm
Honda**18119**Head Dia - 20mm
Stem Length - 25mm
Fits Hole 10mm Honda**17143**Head Dia - 20mm
Stem Length - 27mm
Fits Hole 10mm Honda**17144**Head Dia - 20mm
Stem Length - 24mm
Fits Hole 10mm Honda**16783**Head Dia - 12mm
Stem Length - 8mm
Fits Hole 6mm
Nissan**P247-164**Head Dia - 18mm
Stem Length - 18.7mm
Fits Hole 6mm
Mazda**20248**Head Dia - 20mm
Stem Length - 17mm
Fits Hole 6.3mm
BMW**17383**Head Dia - 11mm
Stem Length - 14mm
Fits Hole 7mm**17162**Head Dia - 15mm
Stem Length - 13mm
Fits Hole 7mm
G.M.**16784**Head Dia - 18mm
Stem Length - 11mm
Fits Hole 7mm
Nissan.**1800**Head Dia - 20mm
Stem Length - 8mm
Fits Hole 7mm
Toyota**20335**Head Dia - 18mm
Stem Length - 7mm
Fits Hole 7mm
RAV4**P247-660**Head Dia - 20mm
Stem Length - 10mm
Fits Hole 7mm
Toyota**16782**Head Dia - 20mm
Stem Length - 14mm
Fits Hole 8mm
Honda / Nissan**N843**Head Dia - 17.8mm
Stem Length - 20mm
Fits Hole 7.7mm
Nissan**19274**Head Dia - 20mm
Stem Length - 9mm
Fits Hole 8mm
Nissan**19118**Head Dia - 20mm
Stem Length - 10mm
Fits Hole 8mm
Honda**20340**Head Dia - 20mm
Stem Length - 11mm
Fits Hole 8mm
Honda**Please Note:**

The sizes given for the fasteners are approximations only for your assistance. We do not do cash refunds so please choose carefully.

NO PART OF THIS DOCUMENT MAY BE REPRODUCED, TRANSMITTED, TRANSCRIBED, STORED IN ANY LANGUAGE, IN ANY FORM BY ANY MEANS, WITHOUT THE PERMISSION OF RA JOHNSTONE & CO LTD. COPYRIGHT© 2013. WE RESERVE THE RIGHT TO WITHDRAW ANY PRODUCT FOR SALE.



Supplying Panelbeaters Since 1947

RA JOHNSTONE
RA JOHNSTONE & CO LTD

www.raj.co.nz

E - mail: sales@raj.co.nz

Phone: 09-25000 95

Address: 33 Ha Crescent, Wiri, Auckland

PLEASE NOTE:
Photos are not
to scale.

CHART

C

1. PUSH-IN FASTENERS CONT. 2. CLIP TOOLS 3. HONDA COWL PANEL CLIPS 4. BODY SHIMS
5. NYLON BLIND RIVETS 6. PLASTIC RIVETS 7. MISCELLANEOUS

PACER.
For Professional Results

PUSH-IN FASTENERS CONT.



17347

Head Dia - 20mm
Stem Length - 12mm
Fits Hole 8mm
Nissan



19453

Head Dia - 18mm
Stem Length - 15mm
Fits Hole 8mm
Honda



17222

Head Dia - 15mm
Stem Length - 20mm
Fits Hole 8mm
Holden



P247-126

Head Dia - 20mm
Stem Length - 20mm
Fits Hole 8mm
Holden



H1880

Head Dia - 18mm
Stem Length - 12mm
Fits Hole 9mm
Honda / Mitsubishi



18873

Head Dia
18mm
Stem Length
28mm
Fits Hole
9mm Toyota



19246

Head Dia - 18mm
Stem Length - 15mm
Fits Hole 10mm
Nissan



19300

Head Dia - 20mm
Stem Length - 18mm
Fits Hole 10mm
Honda



P247-762

Head Dia - 18mm
Stem Length - 10mm
Fits Hole 10mm
Toyota



18165

Head Dia - 17mm
Stem Length - 9mm
Fits Hole 8mm
Honda Cowl Panel Retainer



17192

Head Dia - 18mm
Stem Length - 14mm
Fits Hole 8mm
Honda Cowl Panel Retainer

HONDA COWL PANEL CLIPS

BODY SHIMS



20448

Body Shim 1/16" (1.6mm)
Thick
Metal



20449

Body Shim 1/8" (3.17mm)
Thick
Metal



CLIP TOOLS

KTV4



KTV4

F490

CTV

NYLON BLIND RIVETS



NYLON

NBR266

Fits Hole - 4mm
Panel Range (Grip) -
6 - 10.5mm
Length 24mm
FORD



NYLON

NBR300

Fits Hole
13/64"(5.1mm)
Flange Diameter 12mm
Length 26mm
Panel Range (Grip)
1/8"-15/64"
(3.2- 5.9mm)
GM - CHRYSLER



NYLON

NBR301

Fits Hole
1/4"(6.4mm)
Flange Diameter 17mm
Length 26mm
Panel Range (Grip) -
5/32"-13/32"
(3.9-10.3mm)
GM FORD CHRYSLER



NYLON

NBR302

Fits Hole
1/4"(6.4mm)
Flange Diameter 13mm
Length 26mm
Panel Range (Grip) -
5/32"-13/32"(3.9-
10.3mm)
GM FORD CHRYSLER



NYLON

NBR303

Fits Hole
17/64"(6.7mm)
Flange Diameter 18mm
Length 18mm
Panel Range (Grip)
3/32"-3/16"
(2.4- 4.8mm)
GM VW



NYLON

NBR304

Fits Hole
13/64"(5.1mm)
Flange Diameter 12mm
Length 23mm
Panel Range (Grip)
15/64"-25/64"
(5.9- 10mm)
GM VW



RSGUN

Nylon Rivet Setting Gun -
For use with Nylon Rivets

PLASTIC RIVETS



0042

Length - 6mm
Fits Hole 4.5mm
Black or White



0051

Length - 10mm
Fits Hole 5mm
Black



0075

Length - 15mm
Fits Hole 6mm
Black or White



HS2

Door Handle Clip
Metal



14359

Colour - Grey (Left)
Holds 4mm Rods
Fits Hole 6mm



14365

Colour - Blue (Right)
Holds 4mm Rods
Fits Hole 6mm

Please Note:

The sizes given for the fasteners are approximations only for your assistance. We do not do cash refunds so please choose carefully.

NO PART OF THIS DOCUMENT MAY BE REPRODUCED, TRANSMITTED, TRANSCRIBED, STORED IN ANY LANGUAGE, IN ANY FORM BY ANY MEANS, WITHOUT THE PERMISSION OF RA JOHNSTONE & CO LTD. COPYRIGHT© 2013. WE RESERVE THE RIGHT TO WITHDRAW ANY PRODUCT FOR SALE.



Supplying Panelbeaters Since 1947

RA JOHNSTONE
RA JOHNSTONE & CO LTD

www.raj.co.nz

E - mail: sales@raj.co.nz

Phone: 09-25000 95

Address: 33 Ha Crescent, Wiri, Auckland

PLEASE NOTE:
Photos are not
to scale.

CHART

D

1. GRILLE CLIPS 2. COMMODORE HEADLIGHT 3. BADGE CLIPS 4. MOULDING CLIPS
5. CUT DOWN CLIPS 6. TSET 7. CLIPSET

PACER.
For Professional Results

GRILLE CLIPS



P247-157

Grille Clip
Ford, Honda, GM,
Mitsubishi, Mazda



17195

Grille Clip
Camry/Celica
Toyota



17194

Grille Clip
13mm wide
23mm Long
Toyota



16860

Grille Clip
Grey
Nissan



**COMMODORE
HEADLIGHT**

9655

Headlight Clip for
Commodore

BADGE CLIPS



SFP 0212

SFP 0213

SFP 1722

SNP1302

Push-On
14.2mm x 9.6mm
15.7mm x 9.6mm
11.2mm x 6.0mm
11.0mm x 7.2mm

Pin Size
4mm
5mm
3mm
4mm



P242-207

Self Threading
With Sealer Inside
1/8" Stud, 7/16" O.D.



P242-210

Self Threading
3/16" Stud, 1/2" O.D.



3502

Nylon Badge Clip



SCL2645

Metal Badge Clip

MOULDING CLIPS




P246-112

Universal 'T'
Bolt Clip
#10.24 x 23/32"
9mm Wide, 19mm Long



P246-120

Universal 'T'
Bolt Clip
#10.24 x 1/2"
12mm Wide, 27mm Long



P246-122

Universal 'T'
Bolt Clip
#10.24 x 5/8"
15mm Wide, 42mm Long



8843

Nylon for 1/2" to 5/8"
Mouldings



P246-378

Universal Moulding
21mm x 10mm
G.M.



P246-394

Universal Moulding
25mm x 12mm



P246-390

Universal Moulding
25mm x 9mm
G.M.



13141

Moulding Insert Mercedes
Head Dia 11mm
Stem 14mm
Fits 10 mm Hole



B319

Moulding Clip
with rubber Seal



T1016

Head 13x26mm
Stem - 24mm
Toyota Hi Lux



T457

Stem Length - 17mm
Stem Dia - 17mm
Toyota (Blue)



T458

Stem Length - 17mm
Stem Dia - 13mm
Toyota (Red)



T531

Stem Length - 10mm
Head Dia - 17mm
Toyota



17440

Body Side Moulding Clip
Legend
Honda



M301

Metal Cut Down Clip
38mm Square



P246-400

Metal Cut Down Clip
20mm x 65mm



H785

Top Head 10 x 12mm
Bottom Head 14 x 20mm
Entourage, Tucson,
Kia Optima, Sportage



T1270

Toyota Rocker Panel
Moulding Clip
Fits 17mm Square Hole
Head Size 37mm x 28mm



H1227

Top Head 11 x 15mm
Bottom Head 16mm
Stem 10mm, Fits 8mm
Holden



BULBCASE

An assortment of 12
popular Automotive Bulbs



CLIPCASE

An assortment of the most popular 26
types of automotive trim fasteners



BOLTCASE

An assortment of popular Rivets, Plastic
Rivets, Guard Bolts, Self Tapper Screws,
Washers, Number Plate Bolts

Please Note:

The sizes given for the fasteners are approximations only for your assistance. We do not do cash refunds so please choose carefully.

NO PART OF THIS DOCUMENT MAY BE REPRODUCED, TRANSMITTED, TRANSCRIBED, STORED IN ANY LANGUAGE, IN ANY FORM BY ANY MEANS, WITHOUT THE PERMISSION OF RA JOHNSTONE & CO LTD. COPYRIGHT © 2013. WE RESERVE THE RIGHT TO WITHDRAW ANY PRODUCT FOR SALE.



Supplying Panelbeaters Since 1947

RA JOHNSTONE
RA JOHNSTONE & CO LTD

www.raj.co.nz

E - mail: sales@raj.co.nz

Phone: 09-25000 95

Address: 33 Ha Crescent, Wiri, Auckland

PLEASE NOTE:
Photos are not
to scale.

CHART

E

1. TRIM / DOOR PANEL FASTENERS 2. WEATHERSTRIP CLIPS 3. POP ON SCREW COVER
4. BUMPER CLIPS 5. HOOKS & CANOPY FASTENERS

PACER.
For Professional Results

TRIM / DOOR PANEL FASTENERS



3462

Body Plug for
B300, R41 & P247-136



B300

Upholstery Clip
Fits 3462 Plug



P247-136

Trim Panel Clip



3472

Panel Clip



B295

Door Panel Retainer
G.M. / Chrysler
Stem Length 17mm
Hole Size 8mm



R41B

Upholstery Clip
Fits 3462 Plug
Length - 12mm



14269

Door Panel Retainer
2 Piece (comes with plug)
Toyota / Isuzu / Mazda



Stem Length - 9.5mm
Hole Size - 9mm



R39

Trim Panel Retainer
Length - 15mm
Hole Size - 9mm
Honda



B305

Yellow Nylon
Trim Panel Retainer
Length - 18mm
Hole Size - 8mm G.M.



20341

Head Dia - 22mm
Stem Length - 10mm
Fits Hole - 10mm
Nylon Volkswagon



9416

Snap-On Trim Clip
Panel Range 1.6mm - 2mm



9417

Snap-On Trim Clip
Panel Range
2.7mm - 2.9mm



20333

Cowl & Trunk Trim Clip
Head 11x14mm
Stem 11mm Fits 9mm Hole
BMW



NS651

Height - 14mm
Stem - 9mm
Nissan Murano



GM668

Sill Panel Retaining Clip
Holden



GM669

Sill Panel Retaining Clip
Holden

WEATHERSTRIP CLIPS



Nylon

P247-076

Weather Strip Clip
Fits 4mm hole
Head 13x5mm
Stem - 12mm



Nylon

P247-077

Weather Strip Clip
Fits 5mm hole
Head 16x7mm
Stem - 12mm



Nylon

F173


Fits 5mm hole
Head 5x15mm
Stem - 10mm
Ford / Toyota



Nylon

T1008

Weatherstrip Retainer
Head 5x15mm
Stem - 10mm



13833

#6 Black & White

BUMPER CLIPS



W7026

Bar Clip
14mm x 27mm
Mitsubishi



W7028

Bar Clip
16mm x 29mm
Toyota / Mitsubishi



HMOB & HMOB

Universal Canopy Hook
HMOB - Nylon, White
HMOB - Nylon, Black



FDHOOK

Ford Ute
Canopy Hook With Pins
XA - XF



HDHOOK

Holden Ute
Canopy Hook With Pins
HQ - WB



HDCLEAT

Holden Ute
Cleat Front Cover With
Pins
HQ - WB

HOOKS & CANOPY FASTENERS



17190

Magna Retaining Clip
Hold 24mm
Stem 21mm
Hole 13mm Mitsubishi



RA JOHNSTONE
RA JOHNSTONE & CO LTD



TC184 & TC254

Tonneau Shock Cord Loop
TC184 - 184mm
TC254 - 254mm



TC100

Hold Down
Knob

Please Note:

The measurements
given on the charts
are an approxima-
tion only for your
assistance.

RA JOHNSTONE
RA JOHNSTONE & CO LTD

Please Note:

The sizes given for the fasteners are approximations only for your assistance. We do not do cash refunds so please choose carefully.

NO PART OF THIS DOCUMENT MAY BE REPRODUCED, TRANSMITTED, TRANSCRIBED, STORED IN ANY LANGUAGE, IN ANY FORM BY ANY MEANS, WITHOUT THE PERMISSION OF RA JOHNSTONE & CO LTD. COPYRIGHT© 2013. WE RESERVE THE RIGHT TO WITHDRAW ANY PRODUCT FOR SALE.



Supplying Panelbeaters Since 1947

RA JOHNSTONE
RA JOHNSTONE & CO LTD

www.raj.co.nz

E - mail: sales@raj.co.nz

Phone: 09-25000 95

Address: 33 Ha Crescent, Wiri, Auckland

PLEASE NOTE:
Photos are not
to scale.

CHART

F**1. SEMS 2. SELF TAPPING SCREWS 3. SPIRE CLIPS 4. NYLON SCREW GROMMETS****PACER.**
For Professional Results**SEMS****16589**YELLOW Dicromate
#10x22mm
Washer 15mm O.D.
8mm HEX HEAD**17461**YELLOW Dicromate
#12x18mm
Washer 15mm O.D.
8mm HEX HEAD**15962**YELLOW Dicromate
#14x18mm
Washer 18mm O.D.
10mm HEX HEAD**12359**BLACK Polyseal
#14x15mm
Washer 14mm O.D.
10mm HEX HEAD**12351**BLACK Polyseal
#14x20mm
Washer 17mm O.D.
10mm HEX HEAD**12354**BLACK Polyseal
#14x30mm
Washer 17mm O.D.
10mm HEX HEAD**B112B**BLACK Polyseal
#14x18mm
Fixed Washer
10mm HEX HEAD**Screw
Gauges**#04=2.8mm
#06=3.5mm
#08=4.1mm
#10=4.7mm
#12=5.4mm
#14=6.1mm**SELF TAPPING SCREWS****BLACK MUSH**6x1/2", 6x3/4", 8x1/2",
8x3/4", 8x1", 10x1/2",
10x3/4", 10x1",
12x3/4", 12x1", 14 x 1"**ZINC PLATED
MUSH**6x1/2", 6x3/4", 6x1",
8x1/2", 8x3/4", 8x1",
10x1/2", 10x3/4", 10x1"**BLACK RAISED
COUNTERSUNK**

6x1/2", 6x3/4", 8x3/4"

**ZINC RAISED
COUNTERSUNK**6x1/2", 6x3/4", 6x1",
8x1/2", 8x3/4", 8x1",
8x1 1/2", 8x2",
10x3/4", 10x1"**BLACK PAN
POZI**

6x3/4", 8x3/4", 8x1"

**Zinc Pan Pozi**6x1/2", 6x3/4", 6x1",
8x1/2", 8x3/4", 8x1",
8x1 1/2", 8x2", 10x1/2",
10x3/4", 10x1",
10 x 1 1/2", 10 x 2"**RAJ TEK SELF
DRILLING**RAJTEK834 #8 x 3/4"
RAJTEK1034 #10 x 3/4"**SPIRE CLIPS****SNU1219**#6 Screw Size
11.2x16.5mm long
Hole centre 8mm to edge**SNU0536**#8 Screw Size
11.2x16.5mm long
Hole centre 8mm to edge**SNU1561**#8 Screw Size
11.2x24.4mm long
Hole centre 17mm to edge**SNU3489**#10 Screw Size
12.7x19.6mm long
Hole centre 11mm to edge**SNU0538**#12 Screw Size
15x26.2mm long
Hole centre 14mm to edge**17993**Nylon
#10 Screw Size
18x27mm long
Panel Range up to 3mm
Hole centre 14mm to edge**14276**Nylon Fender / Wheel Housing
#14 Screw Size
20x29mm long
Panel Range up to 1mm
Hole centre 15mm to edge**14750**Nylon Fender / Wheel Housing
#10 Screw Size
20x31mm long
Panel Range up to 1mm
Hole centre 11mm to edge**NYLON SCREW GROMMETS****14255**#8 Screw Size
Head 9.5mm Square
Length 6mm
Fits 7mm Square Hole**759**#10 Screw Size
Head 11mm Square
Length 8mm
Fits 7mm Square Hole**R30**#10 Screw Size
Head 12mm Square
Length 10mm
Fits 7.5mm Square Hole**R33**#10 Screw Size
Head 13mm Square
Length 8mm
Fits 9mm Square Hole**14294**#6 Screw Size With Seal
Head 15mm Square
Length 12mm
Fits 7mm Square Hole**14281**#6 Screw Size With Seal
Head 14mm Dia
Length 10mm
Fits 7mm Square Hole**14268**#6 Screw Size
Head 14mm Dia
Length 15mm
Fits 7mm Square Hole**P247-851**#8 Screw Size
Length 17mm
Fits 8mm Square Hole
Toyota, Honda, Nissan**14275**#10 Screw Size
Head 18mm Dia
Length 17mm
Fits 8.5mm Square Hole**8419**#8 Screw Size
Head 12.7mm Dia
Length 8.1mm
Fits 7mm Square Hole**8418**#14 Screw Size
Head 17mm Dia
Length 6.8mm
Fits 10mm Square Hole**14277**#8 Screw Size
Head 12x10mm
Length 15mm
Fits 10mm Square Hole**14267**#12 Screw Size
Head 20mm Dia Length 17mm
Fits 8mm square hole
Toyota**6644**Head - 22mm
Stem - 18mm
Hole - 12mm
Ford Falcon**Please Note:**

The sizes given for the fasteners are approximations only for your assistance. We do not do cash refunds so please choose carefully.

NO PART OF THIS DOCUMENT MAY BE REPRODUCED, TRANSMITTED, TRANSCRIBED, STORED IN ANY LANGUAGE, IN ANY FORM BY ANY MEANS, WITHOUT THE PERMISSION OF RA JOHNSTONE & CO LTD. COPYRIGHT© 2013. WE RESERVE THE RIGHT TO WITHDRAW ANY PRODUCT FOR SALE.



Supplying Panelbeaters Since 1947

RA JOHNSTONE
RA JOHNSTONE & CO LTD

www.raj.co.nz

E - mail: sales@raj.co.nz

Phone: 09-25000 95

Address: 33 Ha Crescent, Wiri, Auckland

PLEASE NOTE:
Photos are not
to scale.

CHART

G

1. BOLTS 2. NUTS 3. RIVETS 4. WASHERS 5. RIVNUT SETTING GUN

www.pacer.co.nz
PACER.
For Professional Results

BOLTS



8005

Guard Bolt 5x20mm
Captive Washer
8mm Hex Head



8008

Black Guard Bolt 6x18mm
Captive Washer + Spring
Washer
10mm Hex Head



8001

Guard Bolt 6x19mm
13mm Captive Washer +
Spring Washer
10mm Phillips Hex Head



8009

Guard Bolt 6x20mm
Captive Washer + Spring
Washer
10mm Hex Head



8010BK

Black Guard Bolt 6x25mm
Captive Washer
10mm Hex Head



8025

Guard Bolt 8x25mm
Captive Washer + Spring
Washer
12mm Hex Head



8025B

Black Guard Bolt 8x25mm
Captive Washer + Spring
Washer
12mm Hex Head



8030

Guard Bolt 10x30mm
Captive Washer + Spring
Washer
14mm Hex Head



M5x20mm NPB520
M6x16mm M616
M6x30mm M630

**NUMBER PLATE
BOLTS**

M6x10mm NPB610
M6x20mm M620



GUTTER BOLTS

Metric & Imperial
Various Sizes Available
Nuts Included



**HIGH TENSILE
SET SCREWS**

Available in various Lengths
UNC: 1/4"; 3/8"; 5/16"
UNF: 1/4"; 3/8"; 5/16"
Metric: 5; 6; 8; 10mm

NUTS



11625

Metal
4mm Thread Size
Panel Range up to 4mm
Hole centre 13.5mm to edge



11626

Metal
5mm Thread Size
Panel Range up to 4mm
Hole centre 15.8mm to edge



P241-606

Metal
6mm Thread Size
Panel Range up to 4mm
Hole centre 13.5mm to edge



P241-607

Metal
6mm Thread Size
Panel Range up to 4mm
Hole centre 19.5mm to edge



P241-609

Metal
8mm Thread Size
Panel Range up to 4mm
Hole centre 14.5mm to edge



P241-608

Metal
8mm Thread Size
Panel Range up to 4.5mm
Hole centre 20mm to edge



FLANGE HEAD NUTS


62F5 5mm Fits 8005 Guard Bolt
62F6 6mm Fits 8009 Guard Bolt
62F8 8mm Fits 8025 Guard Bolt
NUT8030 10mm Fits 8030 Guard Bolt
62F10 10mm Standard Flange Nuts



HEX NUTS



NYLOC NUTS



**PRESSED
NUTS**



**HEX &
SQUARE
NUTS**



**RIVNUT -
LARGE
FLANGE**



**RIVNUT -
THIN
FLANGE**

RIVETS



11852

Peel Rivet-Metal
Ford 1/4" Diameter



66PEELLF

Peel Rivet
3/16x14mm
(9.6mm Grip)



TR454

Toyota Front
Bumper & Bumper
Stay



TR452

Toyota Rear
Bumper & Bumper
Stay



TR455

Toyota Floor Panel,
Front Fender, Mud
Guard



Truss Head



Large Head



Black Rivets

A large selection of various types and sizes of rivets
are available 3/32", 1/8", 5/32", 3/16", 1/4"

WASHERS



FLAT

Various sizes
Imperial & Metric



FENDER

Various sizes
Imperial & Metric



SPRING

Various sizes
Imperial & Metric



CUP

Sizes Available:
No. 4; No. 6; No. 8;



FLUSH

Sizes Available:
No. 6; No. 8;



**RIVNUT
SETTING
GUN**

Supplying Panelbeaters Since 1947
RA JOHNSTONE
RA JOHNSTONE & CO LTD

Please Note:

The sizes given for the fasteners are approximations only for your assistance. We do not do cash refunds so please choose carefully.

NO PART OF THIS DOCUMENT MAY BE REPRODUCED, TRANSMITTED, TRANSCRIBED, STORED IN ANY LANGUAGE, IN ANY FORM BY ANY MEANS, WITHOUT THE PERMISSION OF RA JOHNSTONE & CO LTD. COPYRIGHT © 2013. WE RESERVE THE RIGHT TO WITHDRAW ANY PRODUCT FOR SALE.



Supplying Panelbeaters Since 1947

RA JOHNSTONE
RA JOHNSTONE & CO LTD

www.raj.co.nz

E - mail: sales@raj.co.nz

Phone: 09-25000 95

Address: 33 Ha Crescent, Wiri, Auckland











PLEASE NOTE:
Photos are not
to scale.

CHART






H**ELECTRICAL ITEMS 1. CABLE TIES 2. 10 WAY CONNECTOR 3. BLADE FUSES****4. AUTO BULBS 5. P CLIPS 6. TERMINALS****CABLE TIES**

AVAILABLE IN A RANGE OF WIDTHS & STYLES

10 WAY CONNECTOR**CODE: PDSL1****BLADE FUSES**10 Amp - Red
15 Amp - Blue
20 Amp - Yellow
25 Amp - Clear
30 Amp - Green**AUTO BULBS**

 NA252 12V, 10W, 10x30 FESTOON NA254 12V, 5W, 11x38 FESTOON NA273 12V, 21W, 15x44 FESTOON	 NA207 12V, 5W, G18 BA15S
 NA380 12V, 21/5W, S25 BAY15D STOP / TAIL	 NA381 12V, 21/21W, BAY15D STOP / TAIL
 NA382 12V, 21W, S25 BA15S STOP / FLASHER Available in orange CODE: NA383	 NA386 12V, 21/4W, BAZ15D OFFSET Available in orange CODE: NA47384
 NA501 12V, 5W, T10 Wedge Available in orange CODE: NA47510	 NA921 12V, 21W, T15 Wedge
 NA7440 12V, 21W, T20 Wedge Available in orange CODE: NA7440 ORANGE	 NA7443 12V, 21/5W, T20 Wedge STOP / TAIL

P CLIPS**PLASTIC**Takes Cable Size:
NX1 5 mm,
NX2 6.4mm
NX3 8 mm,**METAL INSULATED**Takes Cable Size:
P1-4/15 4mm
P1-6/15 6mm
P1-10/15 10mm
P1-20/15 20mm

RED wire 0.5 - 1.5mm	CRIMP TERMINALS	BLUE wire 1.5 - 2.5mm
R2068	COUPLING 	R2069
4.8mm R3559	PUSH-ON RC 	4.8mm R3565 6.3mm R2595 8.0mm R2597
6.3mm R2845	BLADE 	6.3mm R2846
6.3mm R2847	PUSH-ON RC WITH BRANCH 	6.3mm R2848
6.3mm R3560	PUSH-ON COVERED 	6.3mm R3561
R3919	BULLET 	R3920
R3922	BULLET FEMALE SLEEVE 	R3923

HALOGEN**NA453**
Spotlight Bulb
H3 12V, 55W**NA472**
12V, 60/55W-P43t
H4
NA484
12V,
100/90W-P43t
H4**NAHB3**
GLOBE
HALOGEN
HB3, 12V, 60W**NAH3C**
GLOBE
HALOGEN
H3C, 12V, 55W**NA448**
H1 12V, 55W**NA487**
12V,
55W-PX26d
H7**NAHB4**
GLOBE
HALOGEN
HB4, 12V, 51W**NAD2R**
HID LAMP
D2R
12/24V, 35W**Please Note:**

The sizes given for the fasteners are approximations only for your assistance. We do not do cash refunds so please choose carefully.

NO PART OF THIS DOCUMENT MAY BE REPRODUCED, TRANSMITTED, TRANSCRIBED, STORED IN ANY LANGUAGE, IN ANY FORM BY ANY MEANS, WITHOUT THE PERMISSION OF RA JOHNSTONE & CO LTD. COPYRIGHT© 2013. WE RESERVE THE RIGHT TO WITHDRAW ANY PRODUCT FOR SALE.

1. RUBBER GROMMETS & BODY PLUGS 2. FLOCKED CHANNEL 3. DRAUGHT CHANNEL 4. RAJ SPONGE
 5. ANTI-RATTLE BUTTONS 6. WINDOW CHANNEL 7. GLAZING SECTION 8. RUBBER CHANNEL

RUBBER GROMMETS & BODY PLUGS



GROMMETS

ALL GAUGE	1.6mm
IMB301	hole 7.9mm
IMB302	hole 9.5mm
IMB303	hole 12.7mm
IMB304	hole 15.9mm
IMB305	hole 19.1mm
IMB306	hole 22.2mm
IMB307	hole 25.4mm
IMB308	hole 28.6mm
IMB309	hole 32.0mm
IMB310	hole 38.0mm

PLUGS

	I.D.	Panel
IMGO21	4.8	7.9
IMGO30	6.4	11.1
IMGO50	6.4	14.2
IMG190	6.4	28.5
IMG205	7.9	12.7
IMGO40	9.5	12.7
IMGO60	9.5	19.0
IMG110	11.1	17.4
IMGO80	12.7	19.0
IMGO90	15.8	25.4
IMG130	19.0	22.2
IMG120	25.4	33.3
IMG160	31.7	38.1

ANTI-RATTLE BUTTONS

H=hole size, **G**=gauge of panel,
D=head outer diameter, **T**=head height
 (all mm)



SEMI-POINTED

IMA138, **H** 6.4, **G** 1.6, **D** 17.5, **T** 19.0



POINTED HEAD

IMA139, **H** 6.4, **G** 1.6, **D** 19.0, **T** 20.6



DOMED HEAD


IMA135, **H** 6.4, **G** 3.2, **D** 17.5, **T** 14.3
 IMA137, **H** 3.2, **G** 1.6, **D** 11.1, **T** 9.5
 IMA140, **H** 6.4, **G** 1.6, **D** 15.8, **T** 20.6



FLAT HEAD

IMA131, **H** 6.4, **G** 1.6, **D** 14.3, **T** 11.1
 IMA132, **H** 6.4, **G** 1.6, **D** 14.3, **T** 7.9
 IMA133, **H** 6.4, **G** 1.6, **D** 19.0, **T** 7.9
 IMA134, **H** 6.4, **G** 1.6, **D** 19.0, **T** 4.8
 IMA136, **H** 12.7, **G** 1.6, **D** 19.0, **T** 7.9

WINDOW CHANNEL




AJ 5134/001
 Rigid Waist seal
 Flock sprayed lip
 1m (39") length

AJ 5139/002
 Rigid Waist seal
 Flock sprayed lip
 1m (39") length


AJ 5020/002
 Rigid half channel
 Flock sprayed lip
 2m length

GLAZING SECTION



AJ 5010/001


Flexible channel, steel core
 Felt & moquette lined
 25m (27.3yd) coil
 Glass=4.7 - 6.4mm
 0.19 - 0.25"




AJ 5059/001

Flexible channel, steel core
 Felt & moquette lined
 2m (2.2yd) length
 Glass=4.7 - 6.4mm
 0.19 - 0.25"


FLOCKED CHANNEL



DRAUGHT CHANNEL



RAJ SPONGE



COMPOUND - E.P.D.M. STANDARD COIL LENGTH: 20 METRES. MAX OPERATING TEMPERATURE 120°C
 IMPORTANT: Measurements are a guide only for your assistance. There are no refunds for cut length items so please choose carefully. * Specification may be subject to change without notice.

RUBBER CHANNEL



PLEASE NOTE:
 The measurements given are an approximation only for your assistance. There are NO refunds for product cut to length so please choose carefully.